

RESOURCE CODE	CONTENT
actb	Alert colour table
acur	Animated cursor
ADBS	Apple Desktop Bus service routine that's loaded before an INIT (System file)
ALRT	Alert template - text and items are in matching DITL
APPL	Application list (Desktop file)
atpl	AppleTalk resource
bmap	Bitmap graphic
BNDL	Bundle linking FREF and ICN# to provide correct icon on Desktop
BNDN	Data configured in big-endian form
BOOL	Boolean word
boot	Copy of boot blocks (System file)
CACH	RAM cache control code
cctb	Control colour table
CDEF	Control definition - contains code that can't be easily modified
cdev	Control device code (control panel)
cfrg	Code fragment dictionary for PowerPC code
CHAR	ASCII character
cicn	Large screen icon, colour
CLUT	Colour table hex dump
clut	Generic colour table (System file)
CNTL	Control template
CMDO	Used by MPW Commando interface
CMNU	Menu with command ID numbers
cmnu	MacApp temporary menu resource
CODE	Application code segment - the main component of an application
COLR	QuickDraw RGB colour template
crsr	Cursor, colour
ctab	Cache table containing list of possible cache sizes
CTY#	City list from obsolete Map control panel (CDEV)
CURS	Cursor, black & white with mask
DATA	General purpose, used as an extra 'data fork'
DATE	Mac system date and time
dctb	Dialog colour table
DICL	Used by MacWorkstation
DITL	Dialog item list
DLOG	Dialog template
DRVR	Driver for DA, printer, network or monitor (System and DA files)
DSAT	Default startup alert table (System file)
errs	MacApp error string
FBTN	MiniFinder button
FCMT	Finder Comment for Get Info (Desktop file)
ftcb	Font colour table

FDIR	MiniFinder button directory ID
finf	Font information
FKEY	Function Key code - for Command-Shift 0 to 9 key combinations
fld#	Folder names list
FLTR	Declare Filtered Template with comment
fmnu	Finder menu (Finder file)
FMTR	Format record
FOBJ	Folder information
FOND	Font family descriptor - list of font resources and styles
FONT	Font description, bitmap
fPRT	Print Catalogue defaults for Finder (printer driver file)
FREF	File reference for BNDL used to identify correct icon
FRSV	ROM font resources reserved for system (System file)
FWID	Font width table
gama	Gamma table giving color correction for screen
GNRL	NBP timeout and retry info for AppleTalk
hdlg	Balloon Help for dialog box items
hldr	Balloon Help for application icon in Finder
hmnu	Balloon Help for menus in application
hovr	Balloon Help that overrides Finder help
hrct	Balloon Help for rectangles in windows
hwin	Bundles together the hrct and hdlg resources for a window
icl4	Large Desktop icon, 4-bit colour
icl8	Large Desktop icon, 8-bit colour
icmt	Installer comment
icns	Universal icon, all sizes
ICN#	Large Desktop icon, black & white with mask
ICON	Large application icon, black & white
ics4	Small Desktop icon, 4-bit colour
ics8	Small Desktop icon, 8-bit colour
ics#	Small Desktop icon, black and white with mask
ictb	Dialog items colour table
inbb	Installer boot block
indm	Installer default map
infa	Installer file atom
infs	Installer file spec
inpk	Installer package
inra	Installer resource atom
insc	Installer script
INIT	Startup resource (extension, control panel or System file)
itl0	International date and time format, now obsolete (INTL ID=0) (System file)
ITL1	International long date format (System file)
itl1	International names of days and months (INTL ID=1) (System file)
itl2	International Utilities string comparison hooks (System file)

itl4	International Tokenise tables & Localisation code (System file)
itl5	International Character Set encoding (System file)
itlb	International Utilities Package Script bundles (System file)
itlc	International Script Manager configuration (System file)
itlm	Sorting order for Script, language and region (System file)
itlk	International exception dictionary for KCHR (System file)
INTL	International formatting information (System file)
KCAP	Physical keyboard layout used by Keycaps DA (System file)
KCHR	Keyboard character software ASCII mapping (System file)
KEYC	Obsolete keyboard layout resource used by INIT 0 and 1
KMAP	Hardware keyboard mapping (System file)
kscn	Keyboard and script system icon
KSWP	Keyboard script swapping table (System file)
LAYO	Layout resource (Finder file)
LDEF	List definition - contains code that can't be easily modified
lmem	Finder low memory globals (System file)
LNDN	Data in little-endian format
LNGC	Mac OS language code
mach	Matches machine to CDEV control panel (control panel)
MACS	Version number (System and Finder files)
MBDF	Default menu definition (System file)
MBAR	Menu bar, contains set of MENU IDs
mcky	Mouse tracking speed presets for Mouse control panel (System)
mcod	MacroMaker information
mctb	Menu colour table
MDAT	Modification date and time
mdct	MacroMaker information
MDEF	Menu definition - contains code that can't be easily modified
mem!	MacApp memory usage
MENU	Menu contents & style
minf	Macro info for MacroMaker
mitq	Internal memory needs for colour Make Inverse Table (System file)
mntb	MacApp menu table, relating command number to menu item
mppc	MPP configuration resource
mstr	Finder substitute file storing Open and Quit strings (System file)
NBPC	AppleTalk NBP configuration
NFNT	New Font Numbering Table bitmap font, indexed via Font & Style menus
ncts	List of constants
nrcr	Rectangle position list
PACK	High-level software packages (System file)
PAPA	Printer name, type and zone (printer driver file)
PAT	Black & white QuickDraw pattern, 8 by 8 pixels
PAT#	Black & white QuickDraw pattern list

PDEF	Printer definition (printer driver file)
PICT	Picture
pltt	Colour palette (Finder & application files)
pnot	Preview notification - for PICT or TEXT preview in Open dialog
PNT	QuickDraw Point
POST	PostScript data (outline font, PostScript and printer driver files)
ppat	Colour pixel pattern
ppcc	PPC browser communications
ppt#	List of ppat patterns
PRC0	Default printer page setup defaults
PRC3	Print record
PREC	Printer driver's private data
PSAP	String
PTCH	ROM patch code (System file)
qrsc	Query resource used in Sytem 7.0
RECT	QuickDraw rectangle
resl	Resident MacApp segments
RGNC	Mac OS System Region Code
ROv#	List of ROM resource overrides (System file)
RSID	Signed resource ID integer
SCPC	MacOS system script code
scrn	Screen configuration for Monitors control panel (System file)
seg!	MacApp memory management
SERD	RAMSerial Driver (System file)
sfn#	System Font list (Appearance control panel)
sfnt	Spline or scalable font (TrueType/GX or enabled Type 1 suitcase)
SICN	Small application icon, black & white - used in text views
SIZE	Finder size information
snd	Sound
snth	Sound synthesiser resource - contains code not easily modified
STR	String in Pascal format
STR#	String list in Pascal format
styl	Style information for text used by TextEdit
sysz	System Heap request (CDEV control panel)
TEXT	Unlabelled text string
tlst	Title list
TMPL	ResEdit template - determines labels and data types
TNAM	Type name
view	MacApp view resource
vers	Version resource for Get Info in Finder
wctb	Window colour table
WDEF	Window definition - contains code that can't be easily modified
WIND	Window template
wstr	String used by qrsc

XCMD

HyperCard external command (HyperCard file)

XFCN

HyperCard external function (HyperCard file)